2021 Consumer Confidence Report for Charter Township of Washington

An annual Water Quality Report of the public water supply in the Charter Township of Michigan.

Report # 24 March 2022

Available online at: www.WashingtonTownship.org/CCR

The Great Lakes Water Authority (GLWA) consistently delivers safe drinking water to our community.

This year's Water Quality Report highlights the performance of GLWA and the Charter Township of Washington's water professionals in delivering some of the nation's best drinking water.

The Charter Township of Washington operates the system of water mains that carry this water to your service line.

The Charter Township of Washington and the Great Lakes Water Authority (GLWA) are committed to safeguarding our water supply and delivering the highest quality drinking water to protect public health.

Please contact us with any questions or concerns about your water.

Department of Public Works

57900 Van Dyke, Washington, MI 48094
Richard Amormino, DPW Director (586) 786-0000 ext 2002
www.WashingtonTownship.org DPW@WashingtonTwpMI.org

Source water protection Lake Huron intake

Your source water comes from the lower Lake Huron watershed. The watershed includes numerous short, seasonal streams that drain to Lake Huron. The Michigan Department of Environmental Quality in partnership with the U.S. Geological Survey, the Detroit Water and Sewerage Department, and the Michigan Public Health Institute performed a source water assessment in 2004 to determine the susceptibility of potential contamination. The susceptibility rating is a seven-tiered scale ranging from "very low" to "very high" based primarily on geologic sensitivity, water chemistry, and contaminant sources. The Lake Huron source water intake is categorized as having a moderately low susceptibility to potential contaminant sources. The Lake Huron water treatment plant has historically provided satisfactory treatment of this source water to meet drinking water standards.

In 2021, the Michigan Department of Environment, Great Lakes and Energy approved GLWA's updated Surface Water Intake Protection plan for the Lake Huron water intake. The plan has seven elements: roles and duties of government units and water supply agencies, delineation of a source water protection areas, identification of potential sources of contamination, management approaches for protection, contingency plans, siting of new water sources, public participation, and public education activities If you would like to know more information about the Source Water Assessment Report. Please, contact GLWA at (313 926-8102).

| 2021 LAKE HURON TAP WATER MINERAL ANALYSIS This mineral table is not required but provides information frequently requested. | | | | | | | | | |
|---|-----|------|------|-------|--|--|--|--|--|
| Parameter Units Minimum Maximum Average | | | | | | | | | |
| Copper | ppm | ND | ND | 0.000 | | | | | |
| Sodium | ppm | 4.0 | 16.1 | 5.8 | | | | | |
| Lead | ppm | ND | ND | 0.000 | | | | | |
| Chloride | ppm | 8.4 | 10.1 | 9.6 | | | | | |
| Total Hardness | ppm | 85 | 107 | 98 | | | | | |
| Fluoride | ppm | 0.59 | 0.80 | 0.67 | | | | | |
| На | | 7.25 | 7.53 | 7.42 | | | | | |

4

Washington Township DPW (586) 786-0010 ext 2002

www.WashingtonTownship.org

Our website contains information on

Summer watering restrictions - Cross Connections - View and pay your water bill - & more

Become part of our annual water testing program

Lead and Copper health effects language

Required language: "If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Washington Township is responsible for providing high quality drinking water but, cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you have a have a lead service line it is recommended that you run your water for 5 minutes to flush water from both your home plumbing and the lead service line. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline 1-800-462-4791 or at http://www.epa.gov/safewater/lead."

Required Michigan Health Effects language: "Infants and children who drink water containing lead could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure."

"Copper is an essential nutrient, but some people who drink water containing copper in excess of the action level over a relatively short amount of time could experience gastrointestinal distress. Some people who drink water containing copper in excess of the action level over many years could suffer liver or kidney damage. People with Wilson's disease should consult their personal doctor."

| Washington | Washington Township water service connections by service line material at the end of 2021 | | | | | | | | | |
|-------------------------------|---|---------|-------|--------------------|--------------------------------|---------------------------------|---|---|---|--|
| Number | r of lead | service | lines | Numbe | er of service l | ines of unknov | vn material | Total number of service lines in the supply | | |
| | 0 | | | | | 0 | | 6,225 | | |
| 2021 Lead a | 2021 Lead and Copper Monitoring at Customers' Tap | | | | | | | | | |
| Regulated Contami- nant | Test Date | Unit | MCLG | Action Level AL | 90th Per- centile Value* | Number of Samples over AL | Range of Individual Sample Results | Violation Yes/No | Major Sources in Drinking water | |
| Lead | 2021 | ppb | 0 | 15 | 1 ppb | 0 | 0 ppb - 6 ppb | NO | Lead services lines, corrosion of household, plumbing including fittings and fixtures; Erosion of natural deposits | |
| Copper | 2021 | ppm | 1.3 | 1.3 | 0.2 ppm | 0 | 0.0 ppm - 0.5 ppm | NO | Corrosion of household plumb- ing system; Erosion of natural deposits | |
| | | | | | | | 5.5 pp | | 4-6-6-10 | |

*The 90th percentile value means 90 percent of the homes tested have lead and copper levels below the given 90th percentile value. If the 90th percentile value is above the AL additional requirements must be met.

2021 Regulated Detected Contaminants Tables

| 2021 Inorganic | 2021 Inorganic Chemicals – Monitoring at the Plant Finished Water Tap | | | | | | | | | | |
|--------------------------|---|------|---------------------------|----------------------------|------------------------------|-----------------------|---------------------|--|--|--|--|
| Regulated Contaminant | Test Date | Unit | Health Goal or MCLG | Allowed Level of MCL | Highest Level Detected | Range of Detection | Violation Yes/No | Major Sources in Drinking Water | | | |
| Fluoride | 04/13/ 2021 | ppm | 4 | 4 | 0.62 | N/A | NO | Erosion of natural deposits; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories | | | |
| Nitrate | 04/13/ 2021 | ppm | 10 | 10 | 0.31 | N/A | NO | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits | | | |
| Barium | 5-16-17 | ppm | 2 | 2 | 0.01 | N/A | NO | Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits | | | |

2021 Disinfection Residual—Monitoring in the Distribution System Health Allowed Highest Range of Regulated Test Goal Level Level Quarterly Unit Violation Major Sources in Drinking Water Contaminant Date **MRDLG** MRDL RAA Results Water additive used to control mi-Total Chlo-No 2021 4 4 8.0 0.72 - 0.87ppm rine Residual crobes

2021 Disinfection By-Products – Stage 2 Disinfection By-Products Monitoring in Distribution System

| Regulated Contaminant | Test Date | Unit | Health Goal MCLG | Allowed Level MCL | Highest LRAA | Range of Quarterly Results | Violation Yes/No | Major Sources in Drinking water |
|------------------------------------|--------------|------|------------------------|-------------------------|-----------------|----------------------------------|---------------------|---|
| Total Trihalo- methanes TTHM | 2021 | ppb | N/A | 80 | 17 | 14 - 20 | NO | By-product of drinking water chlorination |
| Haloacetic Acids HAA5 | 2021 | ppb | N/A | 60 | 17 | 13 - 26 | NO | By-product of drinking water disinfection |

2021 Turbidity—Monitored every 4 hours at Plant Finished Water

| Highest single measurement cannot exceed 1 NTU | Lowest monthly % of samples meeting Turbidity Limit of 0.3 NTU (minimum 95%) | Violation | Major sources in Drinking Water |
|---|---|-----------|---------------------------------|
| 0.06 NTU | 100% | NO | Soil runoff |

Turbidity has no health effects. However, turbidity can interfere with disinfection and provide a medium for microbial growth. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacterial, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea and associated headaches.

| Regulated contaminant | Treatment Technique | Typical source of contaminant |
|-----------------------------|--|-------------------------------|
| Total Organic Carbon ppm | The Total Organic Carbon (TOC) removal ratio is calculated as the ratio between the actual TOC and the TOC removal requirements. The TOC is measured each quarter and because the level is low, there is no requirement for TOC removal. | Erosion of natural deposits |

Radionuclides - Monitored at the Plant Finished Tap in 2014

| Regulated contaminant | Test Date | Unit | MCLG | MCL | Level Detected | Violation | Major sources in Drinking Water |
|---------------------------------------|---------------|-------|------|-----|--------------------|-----------|---------------------------------|
| Combined Radium Radium 226 and 228 | 5-13- 2014 | pCi/L | 0 | 5 | 0.86 <u>+</u> 0.55 | NO | Erosion of natural deposits |

| 2021 Special M | onitoring | | | | | |
|----------------|----------------|------|------|-----|------------------------|-----------------------------|
| | Test | | | | | |
| Contaminant | Date | Unit | MCLG | MCL | Highest Level Detected | Source of contaminant |
| Sodium | 04/13/ 2021 | ppm | n/a | n/a | 4.23 | Erosion of natural deposits |

These tables are based on tests conducted by GLWA in the year 2021 or the most recent testing done within the last five calendar years. GLWA conducts tests throughout the year only tests that show the presence of a substance or require special monitoring are presented in these tables. The State allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. The data is representative of the water quality, but some are more than one year old.

Unregulated Detected Contaminants Tables

Unregulated contaminants are those for which EPA has not established drinking water standards. Monitoring helps EPA to determine where these contaminants occur and whether it needs to regulate those contaminants.

| 2019 Additional Monitoring—Stage 4 | | A | 1 |
|--|-------------------------|---------------------------|---------------|
| Unregulated Contaminant Name | Minimum Reporting Level | Average Level Detected | Range |
| Monochloroacetic Acid [2C] (ug/L) | 2.00 | 4.96 | <2.00 -5.15 |
| Monobromoacetic Acid (ug/L) | 0.300 | 0.46 | 0.44 - 0.49 |
| Dichloroacetic acid [2C] (ug/L) | 0.200 | 6.21 | 4.39 - 8.03 |
| Trichloroacetic acid (ug/L) | 0.500 | 6.82 | 5.42 - 8.23 |
| Bromochloroacetic acid (ug/L) | 0.300 | 2.74 | 2.35 - 3.17 |
| Dibromoacetic acid (ug/L) | 0.300 | 0.59 | 0.54 - 0.66 |
| Bromodichloroacetic acid [2C] (ug/L) | 0.500 | 4.33 | 4.28 - 4.45 |
| Chlorodibromoacetic acid [2C] (ug/L) | 0.300 | 0.91 | 0.86 - 0.96 |
| | 2.00 | -2.00 | 12.00 |
| Tribromoacetic acid (ug/L) | 2.00 | <2.00 | <2.00 |
| Surrogate: 2-Bromobutanoic acid % Rec | Limit: 70-130 | 99.87 | 97.1 - 102 |
| Surrogate: 2-Bromobutanoic acid [2C] % Rec | Limit: 70-130 | 99.97 | 96.8 - 103 |
| Quinoline (ug/L) | 0.0200 | <0.0200 | <0.0200 |
| Surrogate: Quinoline-d7 (% Rec) | Limit: 70-130 | 84.55 | 77.7 - 91.4 |
| Surrogate: o-Toluidine-d9 (% Rec) | Limit: 70-130 | 73.35 | 71.9 - 74.8 |
| 2-Propen-1-ol (ug/L) | 0.500 | <0.500 | <0.500 |
| Surrogate: 1-Butanol-d10 (% Rec) | Limit: 70-130 | 87.25 | 83.6 - 90.9 |
| alpha-BHC (alpha-Hexachlorocyclohexane) (ug/L) | 0.010 | <0.010 | <0.010 |
| Tribufos (ug/L) | 0.067 | <0.067 | <0.067 |
| Surrogate: Benzo(a)Pyrene-d12 (% Rec) | Limit: 70-130 | 84.4 | 80.1 - 88.7 |
| Surrogate: 1,3-Dimethyl-2-nitrobenzene (% Rec) | Limit: 70-130 | 72.55 | 70.1 - 75 |
| Surrogate: Triphenyl phosphate (% Rec) | Limit: 70-130 | 121.5 | 121 - 122 |
| 2018 Additional Monitoring—Stage 4 | | Average Level | |
| Unregulated Contaminant Name | Minimum Reporting Level | Average Level Detected | Range |
| Monochloroacetic Acid (ug/L) | 2.00 | 2.97 | <2.00 -8.48 |
| Dichloroacetic acid [2C] (ug/L) | 0.200 | 6.572 | 4.64 - 8.94 |
| Trichloroacetic acid (ug/L) | 0.500 | 7.047 | 5.75 - 8.82 |
| Bromochloroacetic acid (ug/L) | 0.300 | 2.955 | 2.49 - 3.41 |
| Dibromoacetic acid (ug/L) | 0.300 | 0.760 | 0.678 - 0.869 |
| Bromodichloroacetic acid [2C] (ug/L) | 0.500 | 4.170 | 4.11 - 4.21 |
| Chlorodibromoacetic acid [2C] (ug/L) | 0.300 | 0.861 | 0.752 - 0.96 |
| Tribromoacetic acid (ug/L) | 2.00 | <2.00 | <2.00 |
| Surrogate: 2-Bromobutanoic acid % Rec | Limit: 70-130 | 105 | 104 - 107 |
| Surrogate: 2-Bromobutanoic acid [2C] % Rec | Limit: 70-130 | 100 | 95.5 - 107 |
| Quinoline (ug/L) | 0.0200 | <0.0200 | <0.0200 |
| Surrogate: Quinoline-d7 (% Rec) | Limit: 70-130 | 86.3 | 86.3 |
| Surrogate: o-Toluidine-d9 (% Rec) | Limit: 70-130 | 72.7 | 72.7 |
| 2-Propen-1-ol (ug/L) | 0.500 | <0.500 | <0.500 |
| Surrogate: 1-Butanol-d10 (% Rec) | Limit: 70-130 | 85.8 | 85.8 |
| | 0.070 | <0.070 | <0.070 |
| Tribufos (ug/L) | | | |
| Surrogate: Benzo(a)Pyrene-d12 (% Rec) | Limit: 70-130 | 77.2 | 77.2 |
| Surrogate: 1,3-Dimethyl-2-nitrobenzene (% Rec) | Limit: 70-130 | 73 | 73 |

Surrogate: Triphenyl phosphate (% Rec)

Limit: 70-130

89.2

89.2

| | DEFINITIONS | | | | | | | |
|--------|---|--|--|--|--|--|--|--|
| Symbol | Abbreviation | Definition/Explanation | | | | | | |
| < | Less than | | | | | | | |
| > | Greater than | | | | | | | |
| AL | Action Level | The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. | | | | | | |
| °C | Celsius | A scale of temperature in which water freezes at 0° and boils at 100° under standard conditions. | | | | | | |
| HAA5 | Haloacetic Acid | HAA5 is the total of bromoacetic, chloroacetic, Dibromoacetic, dichloroacetic, and tri- chloroacetic acids. Compliance is based on the total. | | | | | | |
| LRAA | Locational Running Annual Average | The average of analytical results for samples at a particular monitoring location during the previous four quarters. | | | | | | |
| MCL | Maximum Contaminant Level | The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. | | | | | | |
| MCLG | Maximum Contaminant Level Goal | The level of a contaminant in drinking water below which there is no known or expected risk to health. | | | | | | |
| MRDL | Maximum Residual Disinfectant Level | The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. | | | | | | |
| MRDLG | Maximum Residual Disinfectant Level Goal | The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. | | | | | | |
| N/A | Not applicable | | | | | | | |
| NTU | Nephelometric Turbidity Units | Measures the cloudiness of water. | | | | | | |
| pCi/L | Picocuries Per Liter | A measure of radioactivity | | | | | | |
| ppb | Parts Per Billion (one in one billion) | The ppb is equivalent to micrograms per liter. A microgram = 1/1000 milligram. | | | | | | |
| ppm | Parts Per Million (one in one million) | The ppm is equivalent to milligrams per liter. A milligram = 1/1000 gram. | | | | | | |
| RAA | Running Annual Average | The average of analytical results for all samples during the previous four quarters. | | | | | | |
| TT | Treatment Technique | A required process intended to reduce the level of a contaminant in drinking water. | | | | | | |
| TTHM | Total Trihalomethanes | Total Trihalomethanes is the sum of chloroform, bromodichloromethane, dibromochloromethane and bromoform. Compliance is based on the total. | | | | | | |
| μohms | Microohms | Measure of electrical conductance of water | | | | | | |

2021 Required Language. (§141.153(h)(1)(i) through (iv)).

"Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organics, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff and septic systems.

Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water, which must provide the same protection for public health."

Warning about the vulnerability of some populations to contaminants in drinking water. (§151.154(a)).

"Some people may be more vulnerable to contaminants in drinking water than is the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791)."