

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
01-01	472650.06	13493099.35	753.70	ARROW ON HYDRANT @ NW CORNER 31 MILE AND POWELL	2015	31 MILE	POWELL
01-03	472332.43	13492068.61	751.07	ARROW ON HYDRANT ON THE SOUTH SIDE OF 31 MILE ROAD, +/-200' WEST OF ADDRESS #14200 31 MILE RD.		31 MILE RD.	
01-04	472054.03	13490658.25	758.00	ARROW ON HYDRANT ON THE NORTH SIDE OF 31 MILE ROAD, +/-200' EAST OF ADDRESS #13621 31 MILE RD, +/-1900' EAST OF M-53		31 MILE RD.	
01-05	473211.74	13493468.90	749.43	MAG NAIL IN WESTERLY FACE OF U-POLE WITH GW TAG # 77191 ON EASTERLY SIDE OF POWELL RD. +/-110' N.E. OF THE CENTERLINE OF NORTH DRIVEWAY OF HOUSE # 67116		31 MILE	POWELL
01-06	474110.35	13493947.49	749.72	MAG NAIL IN WESTERLY FACE OF 13" WALNUT WITH GW TAG # 77192 EASTERLY SIDE OF POWELL RD. +/-250' S.W. OF THE CENTERLINE OF SOUTHERLY DRIVEWAY OF HOUSE # 67600		31 MILE	POWELL
01-07	475045.44	13494475.29	749.45	MAG NAIL IN WESTERLY FACE OF U-POLE WITH GW TAG # 77193 ON EASTERLY SIDE OF POWELL RD. +/-360' N.E. OF THE CENTERLINE OF DRIVEWAY OF HOUSE # 67850			POWELL
01-08	476302.70	13495116.54	749.93	MAG SPIKE IN WESTERLY FACE OF TWIN 8"9" HONEY LOCUST ON THE EAST SIDE OF POWELL RD. @ HOUSE # 68320 WITH GW TAG #77194			POWELL
01-09	477490.94	13495439.43	740.92	MAG SPIKE IN TOP OF SOUTH END OF CONCRETE HEAD WALL ON THE WEST SIDE OF POWELL RD., 20' WEST OF THE CENTER LINE OF ROAD, +/-550' SOUTH OF 32 MILE ROAD		32 MILE	POWELL
01-10	478038.61	13494685.87	752.22	MAG SPIKE IN THE SOUTH FACE OF U-POLE WITH GW TAG # 77195, ON THE NORTH SIDE OF 32 MILE RD. AT ADDRESS # 14951, 750' WEST OF POWELL RD.		32 MILE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
01-11	477917.29	13493650.91	755.50	MAG NAIL IN NORTH FACE OF U-POLE WITH GW TAG # 77196, ON THE SOUTH SIDE OF 32 MILE RD. AT ADDRESS # 14652, +/- 30' WEST OF THE CENTERLINE OF EASTERLY MOST DRIVE APPROACH TO PLAZA		32 MILE	
01-12	477864.26	13492619.38	757.82	MAG NAIL IN NORTH FACE OF U-POLE WITH GW TAG # 77197 ON THE SOUTH SIDE OF 32 MILE RD. , 240' WEST OF THE CENTERLINE OF DRIVE APPROACH OF FORMER ROMEO GOLF COURSE, 230' EAST OF HOUSE # 14240		32 MILE	
01-13	477819.85	13491496.80	761.53	MAG SPIKE IN NORTH FACE OF U-POLE WITH GW TAG # 77198 ON THE SOUTH SIDE OF 32 MILE RD., 50' WEST OF THE WESTERLY DRIVE APPROACH AND +/-1500' EAST OF M-53 (VAN DYKE FREEWAY)		32 MILE	M-53
01-14	477857.87	13490445.50	762.50	ARROW ON HYDRANT ON THE NORTH SIDE OF 32 MILE RD., +/-525 EAST OF THE CENTER LINE OF M-53 (VAN DYKE EXPRESSWAY)	1999	32 MILE	M-53
02-01	471979.11	13489798.81	762.75	ARROW ON HYDRANT ON THE NORTH SIDE OF 31 MILE ROAD, +/-30' EAST OF EAST LINE OF ADDRESS #13345 31 MILE RD, +/-1000' EAST OF M-53		31 MILE RD.	M-53
02-02	471893.20	13487440.14	785.33	ARROW ON HYDRANT ON THE NORTH SIDE OF 31 MILE ROAD, AT ADDRESS #12475 31 MILE RD, +/-150' EAST OF MACOMB ORCHARD TRAIL.		31 MILE RD.	VAN DYKE
02-03	472798.81	13486585.52	806.93	ARROW ON HYDRANT ON THE WEST SIDE OF VAN DYKE, AT ADDRESS 67407 VAN DYKE, OPPOSITE FRONTIER TOWN ADDRESS #67380	2001	VAN DYKE	GEORGIA OAKS
02-04	474109.76	13486537.97	813.38	ARROW ON HYDRANT ON THE WEST SIDE OF VAN DYKE, AT ADDRESS 67855 VAN DYKE, 315' SOUTH OF DURHAM ST.	2001	VAN DYKE	DURHAM
02-05	471782.84	13485140.11	836.46	MAG SPIKE IN SOUTH FACE OF U-POLE WITH TAG # 77172 AT THE N.E. CORNER OF 31 MILE RD. & SISSON RD.		31 MILE	SISSON

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
02-06	477686.26	13488498.78	782.29	MAG NAIL IN EAST FACE OF U-POLE ON THE SOUTH SIDE OF 32 MILE RD., 75' WEST OF MACOMB ORCHARD TRAIL OPPOSITE ADDRESS 379 E. SAINT CLAIR		32 MILE	CLINTON ST
02-07	476665.43	13488289.73	781.15	MAG SPIKE IN CONCRETE SLAB +/-15' EAST OF MACOMB ORCHARD TRAIL +/-60' NORTH OF THE EXTENDED CENTER LINE OF SPRING ST. FROM THE WEST.		DENBY	SPRING
02-08	475889.42	13488055.87	784.38	MAG SPIKE IN TOP OF CONCRETE LIGHT POLE BASE +/-106' EAST OF THE M.O.T. (MACOMB ORCHARD TRAIL) ALONG THE EAST PROPERTY LINE OF WELLBRIDGE OF ROMEO REHABILITATION CENTER, +/-50' SOUTH OF CONCRETE ACCESS WALK TO MACOMB ORCHARD TRAIL		M.O.T.	
02-09	474791.35	13487987.94	780.22	MAG NAIL IN EAST FACE OF 10" ELM, 19' WEST OF MACOMB ORCHARD TRAIL +/-1450' EAST OF VAN DYKE, +/-100' WEST OF THE WEST ITC TOWER, +/-2900' NORTH OF 31 MILE RD.		M.O.T.	
02-10	473862.88	13487831.43	782.23	MAG NAIL IN THE E.S.E. FACE OF A U-POLE +/-45' WEST OF THE CENTER LINE OF MACOMB ORCHARD TRAIL, NEAR THE S.E. CORNER OF ADDRESS 67780 VAN DYKE		M.O.T.	
02-11	472862.40	13487687.98	782.54	MAG NAIL IN THE N.E. FACE OF U-POLE +/-43' WEST OF CENTER LINE OF MACOMB ORCHARD TRAIL & +/-70' SOUTH OF THE S.E. CORNER OF ADDRESS 67460 VAN DYKE, +/-1000' NORTH OF 31 MILE RD., & +/-1070' EAST OF VAN DYKE.		31 MILE	VAN DYKE
02-31M53	471958.79	13488942.27	766.68	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX N. SIDE OF 31 MILE, +/-140' EAST OF N.B. M-53		31 MILE	M-53
03-01	471688.76	13482742.39	889.68	MAG SPIKE IN SOUTH FACE OF U-POLE WITH GW TAG # 77174 ON THE NORTH SIDE OF 31 MILE RD., 46' EAST OF CENTERLINE OF DRIVEWAY HOUSE #11019		31 MILE	DEERWOOD

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
03-02	471637.32	13481476.27	887.53	MAG SPIKE IN SOUTH FACE OF 20" OAK WITH GW TAG # 77175, ON THE NORTH SIDE OF 31 MILE RD., 250' WEST OF QUAIL RIDGE DR.		31 MILE	QUAIL RIDGE
3-03	473834.552	13479826.495	885.64	MAG SPIKE IN WEST FACE OF U-POLE WITH GW TAG # 77453, ON THE EAST SIDE OF CAMPGROUND RD., +/-37' NORTH OF CENTERLINE OF DRIVEWAY TO HOUSE # 67808		CAMPGROUND	ORCHARD LN.
3-04	475282.321	13479757.420	846.46	TOP OF MAG NAIL WITH GW TAG # 53746, IN THE TOP OF A WOOD POST AT THE MOST SOUTHERLY END OF A GUARD RAIL ON THE EAST SIDE OF CAMPGROUND RD., +/- 35' NORTH OF FRAMPTON DR. EXTENDED.		CAMPGROUND	FRAMPTON
04-01	471550.01	13478118.79	904.23	MAG NAIL IN SOUTH FACE OF 14" OAK WITH GW TAG # 77178, ON THE NORTH SIDE OF 31 MILE RD., & 200' WEST OF HIDDEN OAK LANE.		31 MILE	HIDDEN OAK
04-02	471464.77	13475699.31	879.64	MAG NAIL IN SOUTH FACE OF U-POLE WITH GW TAG # 77180 ON THE NORTH SIDE OF 31 MILE RD., 1150' EAST OF THE CENTERLINE OF MOUND RD.		31 MILE	MOUND
04-03	471425.74	13474597.44	868.31	MAG SPIKE IN S.W. FACE OF U-POLE WITH GW TAG #77181, AT THE N.E. CORNER OF 31 MILE RD. & MOUND RD.		31 MILE	MOUND
4-04	472728.700	13479831.812	882.91	MAG SPIKE IN EAST FACE OF 20" OAK WITH GW TAG # 76277, ON THE WEST SIDE OF CAMPGROUND RD. AT HOUSE # 67491, +/-125' NORTH OF WOODS ENDS CT. EXTENDED		CAMPGROUND	WOODS ENDS CT
4-05	477055.802	13479634.440	895.61	MAG SPIKE IN EAST FACE U-POLE WITH GW TAG # 53731, ON THE WEST SIDE OF CAMPGROUND RD., +/-260' SOUTH OF 32 MILE RD., ON THE EAST SIDE OF ADDRESS 7800 32 MILE RD. (WOODSIDE CHURCH).		CAMPGROUND	32 MILE RD.
4-06	477242.650	13478674.456	882.29	MAG SPIKE IN NORTH FACE U-POLE WITH GW TAG # 53730, ON THE SOUTH SIDE OF 32 MILE RD., +/-75' EAST OF WINGATE DRIVE		32 MILE RD	WINGATE

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
4-07	477202.608	13477796.214	840.80	TOP OF MAG NAIL WITH GIFFELS WEBSTER WASHER, IN THE TOP OF A WOOD POST AT THE EASTERLY END OF A GUARD RAIL ON THE SOUTH SIDE OF 32 MILE RD., +/-80' WEST OF THE CENTELRINE OF DRIVEWAY AT HOUSE #7150		32 MILE RD	
4-08	477205.072	13476419.194	829.58	MAG SPIKE IN SOUTH FACE U-POLE WITH GW TAG # 53729, ON THE NORTH SIDE OF 32 MILE RD., 31' EAST OF CENTERLINE OF BROOKHILL DRIVE		32 MILE RD	BROOKHILL
4-09	477067.543	13474955.220	866.80	MAG SPIKE IN NORTHWEST FACE U-POLE AT THE SOUTHEAST CORNER OF 32 MILE RD. AND MOUND RD.		32 MILE RD	MOUND RD
5-01	476971.374	13472944.569	873.95	MAG NAIL IN NORTH FACE OF U-POLE WITH GW TAG #53737 ON THE SOUTH SIDE OF 32 MILE RD. 60' WEST OF THE CENTERLINE OF DRIVEWAY AT 5390 32 MILE RD.		32 MILE RD	
5-02	476882.212	13471427.671	886.28	MAG NAIL IN NORTH FACE OF U-POLE WITH LIGHT, WITH GW TAG #53736 ON THE SOUTH SIDE OF 32 MILE RD. 40' EAST OF THE CENTERLINE OF THE MOST EASTERLY GRAVEL DRIVEWAY OF "MILLER'S BIG RED CIDER MILL".		32 MILE RD	
5-03	476825.11	13470372.05	894.18	FOUND MAG. SPIKE IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTH SIDE OF 32 MILE ROAD, 60 FEET WEST OF THE CENTERLINE OF HILLSIDE LANE WITH GW TAG #80484		32 MILE	HILLSIDE
5-04	476750.48	13468993.44	897.28	MAG. SPIKE IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTHEAST CORNER OF 32 MILE ROAD AND SILVER FOX COURT WITH GW TAG #80485		32 MILE	SILVER FOX
6-01	476718.47	13467802.72	888.63	MAG. SPIKE IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTH SIDE OF 32 MILE ROAD, OPPOSITE RESIDENCE ADDRESS #3525 WITH GW TAG #80490		32 MILE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
6-02	476660.21	13466639.79	883.31	MAG. SPIKE IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTH SIDE OF 32 MILE ROAD, OPPOSITE HENRY ROSS DRIVE WITH GW TAG #80504		32 MILE	HENRY ROSS
6-03	476599.17	13465429.35	885.89	MAG. SPIKE IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTH SIDE OF 32 MILE ROAD AND 40' EAST OF DRIVE TO HOUSE ADDRESS #2700 WITH GW TAG #80507		32 MILE	
6-04	476539.38	13464370.53	905.11	MAG. NAIL IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE SOUTH SIDE OF 32 MILE ROAD IN GRASS ISLAND OF DRIVE TO HOUSE ADDRESS #2200 WITH GW TAG #80508		32 MILE	
6-05	475257.99	13463526.87	897.91	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, AT THE NORTHWEST CORNER OF PROPERTY ADDRESS #68500, +/- 175 FEET NORTH OF THE DRIVEWAY WITH GW TAG #78963		DEQUINDRE	
6-06	474023.13	13463597.40	901.82	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, OPPOSITE THE DRIVE TO HOUSE ADDRESS #68125 WITH GW TAG #78964		DEQUINDRE	
6-07	472806.56	13463649.17	886.93	MAG NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD +/- 36 FEET SOUTH OF THE NORTH END FENCE AT CLIFTON CEMETERY, OPPOSITE THE NORTH DRIVE ENTRANCE TO HOUSE ADDRESS #67815 WITH GW TAG # 78965		DEQUINDRE	
6-08	471659.74	13464083.46	886.63	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, OPPOSITE HOUSE ADDRESS #67255 WITH GW TAG # 78966		DEQUINDRE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
6-09	470,954.55	13464102.49	863.40	FOUND BENCH MARK SPIKE (WITH PLASTIC SLEEVE WITH FLAT TOP) IN THE SOUTH SIDE OF A UTILITY POLE, LOCATED AT THE NORTHEAST CORNER OF DEQUINDRE ROAD AND 31 MILE ROAD WITH GW TAG #78967		DEQUINDRE	31 MILE
06-10	471006.683	13466450.6	853.52	MAG NAIL IN SOUTH FACE OF U.POLE ON THE NORTH SIDE OF 31 MILE ROAD, +/-30' WEST OF MT. VERNON RD.		31 MILE	MT. VERNON
06-11	470958.069	13465153.44	863.00	MAG NAIL IN SOUTH FACE OF U.POLE ON THE NORTH SIDE OF 31 MILE ROAD, +/-1000' EAST OF DEQUINDRE ROAD, +/- 95' EAST OF DRIVE AT HOUSE #2501 31 MILE RD.		DEQUINDRE	31 MILE
6-10012	476470.52	13463348.99	900.23	NGS CONTROL STATION 10012 (PID: AA5396), ALUMINUM DISC IN CONCRETE AT THE SOUTHWEST CORNER OF 32 MILE ROAD AND DEQUINDRE ROAD, +/- 44' SOUTH OF THE CENTERLINE OF 32 MILE ROAD AND +/- 75' WEST OF THE CENTERLINE OF DEQUINDRE ROAD.		DEQUINDRE	32 MILE RD.
7-01	469599.24	13464285.42	851.07	MAG. NAIL IN THE WEST FACE OF A 14" OAK TREE, LOCATED +/- 12 FEET EAST OF THE EAST EDGE OF DEQUINDRE ROAD +/- 1300 FEET SOUTH OF 31 MILE ROAD, AND +/- 70 FEET NORTH OF EAST-WEST CREEK WITH GW TAG #78969		DEQUINDRE	
7-02	468448.24	13464319.53	860.83	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE AT NORTH END OVERHEAD WIRES, LOCATED 17 FEET EAST OF EAST EDGE OF DEQUINDRE ROAD +/- 2480 FEET SOUTH OF 31 MILE ROAD AND; +/- 280 FEET NORTH OF EAST-WEST TRANSMISSION LINE WITH GW TAG #78970		DEQUINDRE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
7-03	467358.03	13463888.61	912.45	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, AT THE SOUTHWEST CORNER OF PROPERTY WITH HOUSE ADDRESS #65600, +/- 110 FEET SOUTH OF DRIVE FOR HOUSE ADDRESS #65600, AND AT NORTH END OF A 4 FOOT PLASTIC RAIL FENCE FOR HOUSE #65520 WITH GW TAG # 78971		DEQUINDRE	
7-04	466142.96	13463966.29	949.24	FOUND NAIL (WITH PLASTIC BENCH MARK SLEEVE WITH FLAT TOP) IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, +/- 100 FEET SOUTH OF DRIVE FOR HOUSE ADDRESS #65222 WITH GW TAG #78972. (NOTE: THERE IS ALSO RAILROAD SPIKE IN NORTH FACE OF THE SAME UTILITY POLE.)		DEQUINDRE	
07-05	471054.23	13468126.03	867.66	CHISELED "X" ON NORTH RIM OF MANHOLE ON THE SOUTH SIDE OF 31 MILE ROAD AT THE NORTHWEST CORNER OF PROPERTY, HOUSE# 3620 31 MILE ROAD, +/-100' EAST OF CENTERLINE OF DOROTHY DRIVE		31 MILE	MT. VERNON
08-01	471277.305	13473143.31	862.72	MAG NAIL IN NORTH FACE OF U.POLE ON THE SOUTH SIDE OF 31 MILE ROAD, +/-1400' WEST OF MOUND RD ON THE EAST SIDE OF A 2-TRACK WITH GATE.		31 MILE	MOUND
08-02	471171.117	13470886.75	870.64	MAG NAIL IN NORTH FACE OF U.POLE ON THE SOUTH SIDE OF 31 MILE ROAD AT A CURVE CONCAVE TO THE SOUTHEAST, +/-3700' WEST OF MOUND RD.			
08-03	471092.339	13469118.96	871.31	MAG NAIL IN NORTH FACE OF 18" WALNUT, ON THE SOUTH SIDE OF 31 MILE ROAD, +/- 60' WEST OF DRIVEWAY TO HOUSE #4020 31 MILE RD, +/-2640' EAST OF MT. VERNON.		31 MILE	MT. VERNON
9-01	466246.53	13480091.80	866.46	PK NAIL W. FACE U-POLE WITH GW TAG #79629 @ NW CORNER 30 MILE AND CAMPGROUND		30 MILE	CAMPGROUND

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
9-02	471430.89	13477193.73	887.40	MAG SPIKE IN NORTH FACE OF U-POLE WITH GW TAG # 77179, ON THE SOUTH SIDE OF 31 MILE RD. +/-440' WEST OF RACHAEL LANE		31 MILE	RACHAEL LN
9-03	470360.37	13474640.22	873.44	MAG SPIKE IN WEST FACE OF U-POLE WITH GW TAG # 77182, AT THE N.E. CORNER OF MOUND RD. & NOTRE DAME BLVD.		MOUND	NOTRE DAME
9-04	468980.73	13474698.38	871.36	MAG SPIKE IN WEST FACE OF U-POLE WITH GW TAG # 77183, ON THE EAST SIDE OF MOUND RD., +/-450' SOUTH OF HOUSE #66291		MOUND	
9-05	467508.12	13474750.42	864.48	MAG NAIL IN WEST FACE OF U-POLE WITH GW TAG #77184, ON THE EAST SIDE OF MOUND RD., +/-360' NORTH OF HOUSE # 65420		MOUND	30 MILE
9-06	466021.92	13474912.40	864.71	MAG SPIKE IN S.W. FACE OF 30" OAK WITH GW TAG # 77185, ON THE NORTH SIDE OF 30 MILE RD., +/-150' EAST OF MOUND RD.		MOUND	30 MILE
9-07	471489.06	13479239.73	884.73	MAG SPIKE IN NORTH FACE OF U-POLE WITH GW TAG # 77177 ON THE SOUTH SIDE OF 31 MILE RD., 250' EAST OF CENTERLINE OF MACK CT.		31 MILE	MACK CT.
9-08	466040.82	13475331.89	892.41	SET MAG NAIL (GWE TAG NO. 83457) IN SOUTH FACE OF UTILITY POLE, LOCATED ON THE NORTH SIDE OF 30 MILE ROAD, +/- 570 FEET EAST OF CENTERLINE OF MOUND ROAD, OPPOSITE HOUSE NUMBER 6100		30 MILE	
9-09	466079.89	13476089.58	868.20	SET MAG SPIKE (GWE TAG NO. 83456) IN THE SOUTH FACE OF A UTILITY POLE, LOCATED NORTH OF 30 MILE ROAD, AT ADDRESS 65420 MOUND ROAD, AND +/- 1293 FEET EAST OF THE EASTERLY LINE OF MOUND ROAD			

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
9-10	466132.93	13477537.54	883.90	SET MAG SPIKE (TAG NO. 83455) IN THE SOUTH FACE OF AN 18" MAPLE, LOCATED ON THE NORTH SIDE OF 30 MILE ROAD, +/- 2552 FEET WEST OF THE WESTERLY LINE OF CAMPGROUND ROAD (66 FEET WIDE), AND NEAR ADDRESS 6971 30 MILE ROAD.			
9-11	466191.01	13478773.74	869.44	SET MAG SPIKE (TAG NO. 83454) IN THE SOUTH FACE OF A 10" ASH, LOCATED ON THE NORTH SIDE OF 30 MILE ROAD, +/- 1314 FEET WEST OF THE WESTERLY LINE OF CAMPGROUND ROAD (66 FEET WIDE), AND NEAR ADDRESS 7311 30 MILE ROAD.			
10-01	466578.79	13485249.10	808.24	MAG SPIKE S. FACE U-POLE WITH GW TAG #79617 @ NW CORNER 30 MILE AND VAN DYKE		30 MILE	VAN DYKE
10-02	471541.35	13480289.01	878.25	MAG SPIKE IN THE NORTH FACE OF 36" OAK WITH GW TAG #77176, ON THE SOUTH SIDE OF 31 MILE RD., 30' EAST OF THE CENTERLINE OF DRIVEWAY AT HOUSE # 8200 31 MILE RD.		31 MILE	CAMPGROUND
10-03	471663.19	13484054.29	864.81	MAG SPIKE IN NORTH FACE OF 19" MAPLE WITH GW TAG #77173, ON THE SOUTH SIDE OF 31 MILE RD., 15.5' EAST OF THE CENTERLINE OF DRIVEWAY TO HOUSE # 11350 31 MILE RD.		31 MILE	HARVEST RIDGE
10-FS2	466492.44	13483669.98	843.29	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX N. SIDE OF 30 MILE, 1600' W. OF VAN DYKE RD., AT THE WASHINGTON TOWNSHIP FIRESTATION NO.2, ADDRESS 11285 30 MILE RD.		30 MILE	
11-01	466886.03	13490282.80	743.04	ARROW ON HYDRANT AT THE N.E. CORNER OF 30 MILE RD. AND POWELL RD.		30 MILE RD.	POWELL RD.
11-02	471742.35	13486700.25	797.53	ARROW ON HYDRANT @ SE CORNER 31 MILE AND VAN DYKE	2001	31 MILE	VAN DYKE

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
11-03	466858.6731	13489368.11	748.60	ARROW ON HYDRANT ON THE NORTH SIDE OF 30 MILE RD., OPPOSITE ADDRESS # 13100, +/- 350' EAST OF WASHINGTON TWP., PUMP STATION, +/-850' WEST OF POWELL RD.		30 MILE RD.	POWELL RD.
11-04	467734.04	13490623.78	739.18	MAG SPIKE NAIL SET VERTICALLY IN THE TOP OF THE SOUTH END OF A CONCRETE HEADWALL ON THE NORTHWESTERLY SIDE OF POWELL ROAD HEALY DRAIN CULVERT AT PROPERTY ADDRESS #65265 POWELL RD, +/- 950' NORTHEASTERLY OF 30 MILE RD.		POWELL RD	30 MILE RD
11-05	470412.79	13486780.98	797.41	ARROW ON HYDRANT ON THE EAST SIDE OF VAN DYKE AVE., AT THE SOUTH PROPERTY LINE OF ADDRESS #66500 (McDonald's), +/-1400' SOUTH OF VAN DYKE AVE.		VAN DYKE	31 MILE RD.
11-06	468893.05	13486228.86	807.30	ARROW ON HYDRANT ON THE WEST SIDE OF VAN DYKE AVE., AT PROPERTY ADDRESS #65891 (TACO BELL), +/-200' SOUTH OF ITC POWER LINES.		VAN DYKE	
11-07	466873.90	13485403.45	807.15	ARROW ON HYDRANT ON THE WEST SIDE OF VAN DYKE +/-30' NORTH OF THE NORTHERLY GRAVEL DRIVE TO WEST VIEW ORCHARDS PARKING AREA, ADDRESS 65075 VAN DYKE, +/-340' N.E. OF THE CENTERLINE OF 30 MILE RD.		VAN DYKE	30 MILE RD
11-08	471768.13	13486228.94	794.85	NAIL IN THE NORTH FACE OF U-POLE WITH GW TAG # 77171, ON THE SOUTH SIDE OF 31 MILE RD., +/-420' WEST OF VAN DYKE RD.		31 MILE	VAN DYKE
12-01	468978.01	13491136.31	753.95	FOUND MAG NAIL IN THE SOUTHEAST FACE OF UTILITY POLE ON THE NORTHWESTERLY SIDE OF POWELL RD., OPPOSITE OF DRIVE TO "TOTAL SOCCER" +/-2400' NORTHWEST OF 30 MILE RD., WITH GW TAG #77990		POWELL RD	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
12-02	469517.21	13491407.06	753.06	ARROW ON HYDRANT ON THE NORTHWESTERLY SIDE OF POWELL ROAD, +/-300' SOUTH OF POWELL CEMETERY.		POWELL RD	
12-03	469786.04	13491584.23	751.81	FOUND MAG NAIL IN THE SE FACE OF A 28" MAPLE ON THE NORTHWEST SIDE OF POWELL RD., AT THE SOUTHEAST CORNER OF POWELL CEMETERY WITH GW TAG #77991.		POWELL RD	
12-04	470841.66	13492139.15	754.06	ARROW ON HYDRANT ON THE NORTHWESTERLY SIDE OF POWELL ROAD, AT THE SOUTH LINE OF ADDRESS #66435, +/-2000' SOUTHWESTERLY OF 31 MILE ROAD		POWELL RD	
12-05	471693.12	13492590.09	753.45	ARROW ON HYDRANT ON THE NORTHWESTERLY SIDE OF POWELL ROAD, AT THE SOUTH LINE OF ADDRESS #66701, +/-1000' SOUTHWESTERLY OF 31 MILE ROAD		POWELL RD	31 MILE RD.
12-POWELL	469808.74	13491593.05	750.80	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX W. SIDE POWELL, +/-3200' N.E. OF 31 MILE RD., 35' N.E. OF THE S.E. FENCE CORNER OF THE POWELL CEMETERY, & 2.4' EAST OF THE 4' CHAIN LINK FENCE		POWELL RD	
13-01	461823.99	13493586.91	698.72	MAG SPIKE NAIL SET HORIZONTALLY IN THE SE FACE OF UTILITY POLE ON THE NORTH SIDE OF 29 MILE ROAD OPPOSITE ADDRESS # 14408, +/- 425' EAST OF BRAUN DR. WITH GW TAG #77987		29 MILE	BRAUN
13-02	462108.66	13494759.57	699.59	MAG SPIKE NAIL SET HORIZONTALLY IN THE SOUTH FACE OF UTILITY POLE ON THE NORTH SIDE OF 29 MILE ROAD +/- 75' WEST OF GRAVEL DRIVE TO ADDRESS #14821 WITH GW TAG #77988.		29 MILE	
14-01	466581.99	13486441.07	773.72	ARROW ON HYDRANT S. SIDE 30 MILE, +/-1300' W. OF M-53 AT W. SIDE OF ENTRANCE TO #12150	1993	30 MILE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
14-02	462385.79	13485513.05	760.03	MAG SPIKE E. FACE U-POLE WITH GW TAG #79618, E. SIDE VAN DYKE, +/- 1200' N. OF 29 MILE @ N. SIDE ENTRANCE TO ROMEO FORD DEALERSHIP		VAN DYKE	
14-50640	466693.028	13487924.082	759.28	NGS HEIGHT MODERNIZATION DISK IN CONCRETE STAMPED 50640 2006, 22' SOUTH OF THE CENTERLINE OF 30 MILE ROAD AND 66' EAST OF THE CENTERLINE OF NORTHBOUND M-53. (NGS RECORD ELEVATION = 759.28')		30 MILE	M-53
15-01	464908.29	13485331.48	785.26	ARROW ON HYDRANT W. SIDE VAN DYKE, +/-1600' S. OF 30 MILE @ BUSINESS #64321	1993	VAN DYKE	
15-02	463765.95	13485387.31	774.99	ARROW ON HYDRANT @ SW CORNER VAN DYKE AND KILARNEY	1993	VAN DYKE	KILARNEY
15-03	461201.47	13485477.98	754.14	ARROW ON HYDRANT @ NW CORNER VAN DYKE AND 29 MILE	1993	VAN DYKE	29 MILE
15-04	462137.75	13480334.64	869.41	ARROW ON HYDRANT E. SIDE CAMPGROUND, +/-1200' N. OF 29 MILE NEAR S. LINE OF I.T.C. PROPERTY	2000	CAMPGROUND	
15-05	463596.65	13480259.74	872.18	MAG SPIKE W. FACE U-POLE WITH GW TAG #79627, E. SIDE CAMPGROUND, +/- 2640' N. OF 29 MILE AND NEAR S. PROPERTY LINE HOUSE #64050		CAMPGROUND	
15-06	464921.15	13480191.91	864.39	MAG SPIKE NW FACE 30" OAK WITH GW TAG #79628, E. SIDE CAMPGROUND, +/- 1320' S. OF 30 MILE AND AT S. SIDE OF GRAVEL DRIVE		CAMPGROUND	
15-07	466271.60	13481153.31	848.06	MAG SPIKE N. FACE 40" OAK WITH GW TAG #79630, S. SIDE 30 MILE, +/- 1000' E. OF CAMPGROUND AND AT E. SIDE GRAVEL DRIVE FOR HOUSE #8400		30 MILE	
15-08	466358.57	13482722.32	848.27	ARROW ON HYDRANT @ SE CORNER 30 MILE AND KILDARE DR.	1995	30 MILE	KILDARE DR.
16-01	464922.13	13474855.62	861.61	MAG SPIKE IN WEST FACE OF U-POLE WITH GW TAG # 77186, ON THE EAST SIDE OF MOUND RD., +/-250' SOUTH OF DRIVEWAY TO HOUSE # 64707		MOUND	
16-02	463623.08	13474906.69	856.16	MAG NAIL IN WEST FACE OF U-POLE WITH GW TAG #77187, ON THE EAST SIDE OF MOUND RD., +/-270' NORTH OF INWOOD RD.		MOUND	INWOOD

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
16-03	462058.83	13475027.90	856.81	ARROW ON HYDRANT ON THE SOUTH SIDE OF PARLIAMENT DR., 95' EAST OF THE CENTERLINE OF MOUND RD.	2001	MOUND	PARLIAMENT
16-04	460937.07	13479558.06	862.16	MAG NAIL IN THE SOUTH FACE OF U-POLE WITH GW TAG # 77190, ON THE NORTH SIDE OF 29 MILE RD., +/-275' WEST OF AUGUSTA DR., & +/-215' EAST OF INDIAN HILLS DR.		29 MILE	INDIAN HILLS
16-GILCHER	460845.875	13477160.423	856.64	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX N. SIDE OF 29 MILE, 280' E. OF THE CENTERLINE OF DRIVEWAY TO GILCHER-CRISSMAN PARK		29 MILE	SOMERSET BLVD
17-01	463157.85	13469452.82	850.27	MAG. NAIL IN THE SOUTH FACE OF A 27" WALNUT TREE, LOCATED ON THE NORTH SIDE OF INWOOD ROAD, +/- 2640 FEET EAST OF MT. VERNON ROAD, AND +/- 710 FEET EAST OF THE INWOOD HIKING TRAIL WITH GW TAG #78979		INWOOD	
17-02	463173.07	13470444.63	830.27	MAG NAIL IN TOP OF GUARD RAIL POST AT THE EAST END OF GUARD RAIL ON THE NORTH SIDE OF INWOOD ROAD AT CREEK, +/- 500' WEST OF PARK ENTRANCE (PARK RD) TO SOUTH WITH GW TAG #79403		INWOOD	
17-03	463250.17	13471888.84	856.53	MASON NAIL IN SOUTH FACE U. POLE ON THE NORTH SIDE OF INWOOD ROAD, 100' EAST OF DTE SUBSTATION (SOUTH SIDE OF INWOOD) AND +/- 3000' WEST OF MOUND RD. WITH GW TAG #79402		INWOOD	
17-04	463312.73	13473376.91	853.63	MAG NAIL IN SOUTH FACE OF U. POLE ON THE NORTH SIDE OF INWOOD ROAD, +/- 1500' WEST OF MOUND ROAD WITH GW TAG #79401		INWOOD	
18-01	463569.24	13464105.53	922.49	FOUND NAIL (WITH PLASTIC BENCH MARK SLEEVE WITH FLAT TOP) IN THE WEST FACE OF A 20" WALNUT TREE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, +/- 45 FEET NORTH OF THE NORTHWEST CORNER OF A 4 FOOT CHAIN LINK FENCE FOR HOUSE ADDRESS #64150, AND +/- 600 FEET NORTH OF INWOOD ROAD WITH GW TAG #78974		DEQUINDRE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
18-02	462861.57	13464179.90	905.08	MAG. NAIL IN THE NORTH FACE OF A UTILITY POLE, LOCATED ON THE WEST SIDE OF DEQUINDRE ROAD, +/- 80 FEET SOUTH OF INWOOD ROAD WITH GW TAG #78975		DEQUINDRE	INWOOD
18-03	463014.94	13465539.87	889.13	MAG. NAIL IN THE SOUTH FACE OF A UTILITY POLE, LOCATED ON THE NORTH SIDE OF INWOOD ROAD, +/- 210 FEET EAST OF DRIVE TO HOUSE ADDRESS #2400, AND +/- 1400 FEET EAST OF DEQUINDRE ROAD WITH GW TAG #78976		INWOOD	
18-04	463057.71	13466777.02	872.99	MAG. NAIL IN THE NORTH FACE OF A CORNER FENCE POST, LOCATED ON THE NORTHWEST CORNER OF INWOOD ROAD AND MT. VERNON ROAD WITH GW TAG #78977		INWOOD	MT. VERNON
18-05	463014.26	13467943.99	856.66	MAG. NAIL IN THE NORTH FACE OF A 7" POPLAR TREE, LOCATED ON THE SOUTH SIDE OF INWOOD ROAD, ALONG AN EAST-WEST 4 FOOT WOVEN WIRE FENCE, AND +/- 190 FEET EAST OF THE WEST ENTRANCE TO THE SPORTSMAN'S CLUB, AND +/- 1130 FEET EAST OF MT. VERNON ROAD WITH GW TAG #78978		INWOOD	
18-06	464985.33	13464032.77	944.98	MAG. NAIL IN THE WEST FACE OF A UTILITY POLE, LOCATED ON THE EAST SIDE OF DEQUINDRE ROAD, AT THE NORTH SIDE GATE TO ORCHARD, +/- 90 FEET SOUTH OF THE ROAD SIGN FOR PARKS ROAD, +/- 600 FEET SOUTH OF PARKS ROAD WITH GW TAG #78973. (NOTE: THERE IS ALSO A MAG NAIL IN THE NORTHEAST FACE OF THE SAME UTILITY POLE - NOT USED)		DEQUINDRE	
18-07	462267.46	13464781.07	902.25	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE AT THE SOUTHWEST CORNER OF DEQUINDRE ROAD AND INWOOD ROAD.		DEQUINDRE	INWOOD

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
18-08	461466.29	13465632.43	881.63	SET MAG NAIL IN THE NORTHEASTFACE OF AN 18" OAK TREE ON THE SOUTHWESTERLY SIDE OFDEQUINDRE ROAD, +/- 1900 FEET NORTHWEST OF THE INTERSECTION OF MOUNT VERNON		DEQUINDRE	
19-01	459947.24	13466950.19	853.34	SET MAG NAIL IN THE WEST FACE OF A UTILITY POLE ON THE EAST SIDE OF MOUNT VERNON ROAD, +/- 120 FEET SOUTH OF DEQUINDRE ROAD.		MOUNT VERNON	DEQUINDRE ROAD
19-02	458821.43	13467018.61	847.39	SET MAG NAIL IN THE WEST FACE OF A UTILITY POLE ON THE EAST SIDE OF MOUNT VERNON ROAD, +/- 200 FEET NORTH OF DEAN DRIVE.		MOUNT VERNON	DEAN DRIVE
19-03	457694.84	13467033.24	860.16	SET MAG NAIL IN THE EAST FACE OF A 42" COTTONWOOD TREE ON THE WEST SIDE OF MOUNT VERNON ROAD, AT HOUSE NUMBER 61991		MOUNT VERNON	
19-04	456608.85	13467122.26	841.18	SET MAG NAIL IN THE EAST FACE OF A UTILITY POLE AT THE SOUTHEAST CORNER OF MOUN VERNON ROAD AND S HUNTINGTON CIRCLE		MOUNT VERNON	S HUNTINGTON CIRCLE
20-STONY	455322.79	13471505.65	814.83	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX 46' NORTH OF THE CENTERLINE OF 28 MILE ROAD, 4' SOUTH OF A 4' TALL WOVEN WIRE FENCE, +/- 120' WEST OF STONY CREEK LAKE		28 MILE	
21-01	457109.97	13480482.18	783.09	MAG SPIKE E. FACE OF U-POLE WITH GW TAG #79624, W. SIDE CAMPGROUND, +/-1400' N. OF 28 MILE		CAMPGROUND	
21-02	458466.44	13480432.37	806.71	PK NAIL E. FACE U-POLE WITH GW TAG #79625, W. SIDE CAMPGROUND, +/-500' S. OF ROBERTA LN. AND AT N. END PROPERTY #62011		CAMPGROUND	
21-03	459857.90	13480317.25	844.78	ARROW ON HYDRANT @ SW CORNER CAMPGROUND AND SAWGRASS DR.	2004	CAMPGROUND	SAWGRASS DR.

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
21-04	460885.27	13480326.12	850.95	MAG SPIKE E. FACE U-POLE WITH GW TAG #79626 @ SW CORNER 29 MILE AND CAMPGROUND		29 MILE	CAMPGROUND
21-05	460682.99	13475100.53	849.20	ARROW ON HYDRANT ON THE SOUTH SIDE OF 29 MILE RD., 115' EAST OF THE CENTERLINE OF MOUND RD.	2001	29 MILE	MOUND
21-06	460743.45	13476238.93	852.66	MAG SPIKE IN NORTH FACE OF U-POLE WITH GW TAG # 77188, ON THE SOUTH SIDE OF 29 MILE RD., OPPOSITE HOUSE #6363, +/- 420' EAST OF IVY DR.		29 MILE	IVY DR.
21-07	460787.88	13477399.89	859.68	MAG NAIL IN NORTH FACE OF 13" OAK WITH GW TAG # 77189, ON THE SOUTH SIDE OF 29 MILE RD., AT HOUSE # 6700		29 MILE	AUGUSTA DR.
21-08	460835.48	13478735.48	876.29	ARROW ON HYDRANT ON THE SOUTH SIDE OF 29 MILE RD., +/-360' EAST OF STRATFORD BLVD.	1993	29 MILE	STRATFORD
21-09	455523.66	13475227.64	851.38	SET MAG NAIL IN THE WEST FACE OF A UTILITY POLE AT THE NORTHEAST CORNER OF 28 MILE ROAD AND MOUND ROAD		MOUND ROAD	28 MILE ROAD
21-10	456473.21	13475178.39	852.88	SET MAG NAIL IN THE WEST FACE OF A 12" OAK, +/- 33 FEET EAST OF THE CENTER OF MOUND ROAD AND +/- 1000 FEET NORTH OF 28 MILE ROAD.		MOUND ROAD	28 MILE ROAD
21-11	458112.78	13475108.01	859.75	SET MAG NAIL IN THE WEST FACE OF A UTILITY POLE ON THE EAST SIDE OF MOUND ROAD, +/- 290 FEET NORTH OF ACADEMY DRIVE.		MOUND ROAD	ACADEMY DRIVE
21-12	459520.20	13475065.11	859.84	ARROW ON ON HYDRANT AT THE NORTHEAST CORNER OF MOUND ROAD AND DANA ROSE DRIVE.		MOUND ROAD	DANA ROSE DRIVE
22-01	456087.97	13485697.46	703.61	MAG SPIKE IN TOP OF 1' WIDE CONCRETE HEADWALL AT CENTERLINE OF N/S DITCH @ NW CORNER 28 MILE AND JEWELL		28 MILE	JEWELL
22-02	455807.57	13480626.17	763.61	ARROW ON HYDRANT @ NE CORNER 28 MILE AND CAMPGROUND	1993	28 MILE	CAMPGROUND

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
23-01	461185.92	13486983.45	728.18	MAG SPIKE IN TOP OF CONCRETE EAST END OF BRIDGE SUPPORT COLUMN FOOTING UNDER BRIDGE FOR N.B. M-53 @ S. SIDE 29 MILE		29 MILE	M-53
23-02	460259.15	13486588.62	729.26	ARROW ON HYDRANT E. SIDE JEWELL +/-1300' S. OF 29 MILE AT S. SIDE OF ENTRANCE TO ROMEO ENGINEERING AND TECHNOLOGY CENTER	2006	JEWELL	
23-03	458619.96	13485686.98	725.94	ARROW ON HYDRANT E. SIDE JEWELL, +/- 2600' N. OF 28 MILE @ S. SIDE OF ENTRANCE TO POWELL MIDDLE SCHOOL STAFF PARKING LOT	2006	JEWELL	
23-04	457219.13	13485719.74	715.73	MAG SPIKE W. FACE OF U-POLE WITH GW TAG #79619, E. SIDE JEWELL @ S. PROPERTY LINE FOR HOUSE #61500		JEWELL	
23-05	456251.69	13490278.54	687.99	MAG SPIKE NAIL SET HORIZONTALLY IN THE SOUTH FACE OF UTILITY POLE ON THE NORTH SIDE OF 28 MILE ROAD, ON THE EAST SIDE OF DRIVE TO A SANITARY PUMP STATION, OPPOSITE HOUSE #13280, +/-850' WEST OF SCHOENHERR RD.		28 MILE RD	SCHOENHERR
23-06	456200.78	13489101.63	689.66	ARROW ON HYDRANT ON THE NORTH SIDE OF 28 MILE ROAD, +/-200' EAST OF WINTERBERRY DRIVE, OPPOSITE THE EAST LINE OF HOUSE #12820		28 MILE RD	WINTERBERRY
23-07	456142.52	13487627.69	695.89	ARROW ON HYDRANT ON THE NORTH SIDE OF 28 MILE ROAD, +/-125' EAST OF DRIVEWAY TO HOUSE #12265 AND +/-1900' EAST OF JEWELL RD.		28 MILE RD	
23-08	457451.82	13491040.69	688.89	ARROW ON HYDRANT ON THE WEST SIDE OF SCHOENHERR ROAD, +/- 150' SOUTH OF HOUSE #61499 AND +/-550' SOUTH OF BURNINGWOOD DRIVE.		SCHOENHERR	BURNINGWOOD
23-09	461360.08	13490874.12	707.43	MAG SPIKE NAIL SET VERTICALLY INTO THE TOP OF A CONCRETE HEADWALL AT THE EAST END OF CULVERT AT THE SW CORNER OF 29 MILE ROAD AND SCHOENHERR.		29 MILE	SCHOENHERR
23-10	461282.64	13489368.14	716.22	ARROW IN HYDRANT AT THE SOUTHEAST CORNER OF 29 MILE ROAD AND CRIMSON DRIVE.		29 MILE	CRIMSON

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
23-11	461230.93	13488212.36	725.96	ARROW ON HYDRANT ON THE SOUTH SIDE OF 29 MILE ROAD AT ADDRESS # 12610, 300' WEST OF THE ENTRANCE OF ORCHARD RIDGE CHURCH, AND 900' EAST OF JEWELL RD.		29 MILE	JEWELL
23-28SCHOENHERR	456373.31	13491076.35	683.64	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX W. SIDE SCHOENNER, +/- 47' NORTH OF N. R.O.W. OF 28 MILE.		28 MILE	SCHOENHERR
24-02	456681.45	13494012.76	675.76	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77970 ON THE NORTH SIDE OF 28 MILE ROAD, +/-95' WEST OF THE CENTERLINE OF STONEGATE.		28 MILE	STONEGATE
24-04	456937.44	13495714.44	673.30	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77972 AT THE NORTHEAST CORNER OF 28 MILE ROAD AND CETNOR CT.		28 MILE	CETNOR CT
24-05	458901.14	13491043.74	694.60	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77984 ON THE EAST SIDE OF SCHOENHERR AT HOUSE # 62000, 400' NORTH OF COUSINS COURT		SCHOENHERR	COUSINS CT
24-06	460310.47	13490972.39	699.19	MAG SPIKE NAIL SET HORIZONTALLY INTO WEST FACE OF UTILITY POLE WITH GW TAG #77985 ON THE EAST SIDE OF SCHOENHERR AT THE SOUTH SIDE OF DRIVEWAY TO HOUSE # 62452, 1100' SOUTH OF 29 MILE ROAD		SCHOENHERR	29 MILE RD.
24-07	461506.69	13491953.28	702.10	FOUND MAG NAIL IN THE NORTH FACE OF A UTILITY POLE ON THE SOUTH SIDE OF 29 MILE ROAD, 1100' EAST OF SCHOENHERR ROAD BETWEEN ADDRESSES 13900 & 14000 WITH GW TAG #77986		29 MILE RD.	
24-08	462297.93	13495753.47	694.54	MAG SPIKE NAIL SET HORIZONTALLY IN THE NORTH FACE OF UTILITY POLE ON THE SOUTH SIDE OF 29 MILE ROAD ON THE EAST SIDE OF WEST ASPHALT DRIVE TO ADDRESS #15080 WITH GW TAG #77989.		29 MILE RD.	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
25-01	451036.22	13491378.34	674.53	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTHWEST FACE OF UTILITY POLE WITH GW TAG #77966 ON THE EAST SIDE OF SCHOENHERR ROAD +/-85' NORTH OF THE CENTERLINE OF 27 MILE ROAD		SCHOENHERR	27 MILE
25-02	453703.46	13491250.64	676.56	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTHWEST FACE OF UTILITY POLE WITH GW TAG #77967 ON THE EAST SIDE OF SCHOENHERR ROAD +/-35' NORTH OF THE CENTERLINE OF DRIVEWAY EXTENDED, ADDRESS #60045		SCHOENHERR	
25-03	454881.55	13491205.33	681.06	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77968 ON THE EAST SIDE OF SCHOENHERR ROAD +/-70' SOUTH OF THE CENTERLINE OF DRIVEWAY EXTENDED, ADDRESS #60625		SCHOENHERR	28 MILE
25-05	454508.00	13496403.00	662.84	MAG SPIKE NAIL SET HORIZONTALLY INTO NORTHEAST FACE OF UTILITY POLE ON THE WEST SIDE OF HAYES ROAD WITH GW TAG #77974, AT THE SOUTH PROPERTY LINE OF HOUSE #60123, +/- 2500' SOUTH OF 28 MILE RD.		HAYES	
25-06	453647.54	13496446.46	661.08	FOUND BENCH MARK TIE IN THE EAST FACE OF UTILITY POLE ON THE WEST SIDE OF HAYES ROAD, AT SOUTH PROPERTY LINE OF HOUSE #59813. SET GW TAG #77975		HAYES	TIMBERWOODS CT
25-07	451531.55	13495397.05	656.46	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77977 ON THE NORTH SIDE OF 27 MILE ROAD AT THE APPROXIMATE EAST PROPERTY LINE OF ADDRESS #14805		27 MILE	LINENGER
25-08	451407.52	13494006.07	666.94	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77978 ON THE NORTH SIDE OF 27 MILE ROAD +/-80' WEST OF DRIVEWAY, HOUSE # 14403.		27 MILE	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
25-09	451168.96	13492571.68	675.12	MAG SPIKE NAIL SET HORIZONTALLY INTO SOUTH FACE OF UTILITY POLE WITH GW TAG #77979 ON THE NORTH SIDE OF 27 MILE ROAD +/-70' WEST OF CENTERLINE DRIVEWAY EXTENDED OF HOUSE # 13980.		27 MILE	SCHOENHERR
26-01	454680.43	13485832.24	696.23	ARROW ON HYDRANT, E. SIDE JEWELL, +/- 130' N. OF NANCY BETH CT. @ HOUSE #60490	2002	JEWELL	NANCY BETH CT.
26-02	452211.87	13491277.52	673.73	MAG SPIKE NAIL AT THE CENTER OF THE EAST END OF A 4" WIDE CONCRETE HEADWALL AT THE SOUTH SIDE OF DRIVE TO FIELD ON THE WEST SIDE OF SCHOENHERR ROAD +/-150' SOUTH OF DRIVEWAY ADDRESS #59623		SCHOENHERR	27 MILE
26-03	450908.37	13490043.34	681.79	MAG SPIKE NAIL SET HORIZONTALLY IN SOUTH FACE OF UTILITY POLE ON THE NORTH SIDE OF 27 MILE ROAD AT ADDRESS #13105 WITH GW TAG #77980, +/-360' WEST OF THE CENTERLINE OF CANTERBURY		27 MILE RD	CANTERBURY
26-04	450716.85	13487211.10	683.99	MAG NAIL SET HORIZONTALLY IN THE SOUTHEAST FACE OF UTILITY POLE ON THE NORTH SIDE OF 27 MILE ROAD, OPPOSITE HOUSE # 12000 WITH GW TAG #77982 +/-1200' EAST OF JEWELL RD.		27 MILE RD	JEWELL RD
27-01	452976.11	13485835.95	686.60	MAG SPIKE E. FACE U-POLE WITH GW TAG #79620 @ NW CORNER JEWELL AND LAUREL WOODS DR.		JEWELL	LAUREL WOODS DR.
27-02	450648.48	13485948.10	678.71	3 INCH DIAMETER DISK ON TOP OF EAST END CONCRETE HEADWALL @ NW CORNER 27 MILE AND JEWELL RD.		27 MILE	JEWELL
27-03	450424.03	13480871.09	715.57	ARROW ON HYDRANT @ NE CORNER 27 MILE AND VAN DYKE	1985	27 MILE	VAN DYKE
27-04	451504.75	13480824.10	724.46	ARROW ON HYDRANT E. SIDE VAN DYKE, +/-1100' N. OF 27 MILE AND AT N. PROPERTY LINE OF BUSINESS #59390(EL PUEBLO MEXICAN MARKET)	1986	VAN DYKE	
27-05	453120.10	13480738.67	733.35	ARROW ON HYDRANT E. SIDE CAMPGROUND, +/- 600' N. OF VAN DYKE NEAR THE NORTH. PROPERTY LINE OF HOUSE #60000	1993	CAMPGROUND	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
27-06	454643.70	13480672.89	751.78	ARROW ON HYDRANT E. SIDE CAMPGROUND, +/- 100' S. OF WASCHULL AT N. END OF EAGLES LANDING APARTMENTS	1994	CAMPGROUND	WASCHULL
28-01	452632.524	13475340.36	869.22	ARROW ON HYDRANT ON THE EAST SIDE OF MOUND ROAD, +/- 130' NORTH OF DRIVEWAY TO HOUSE #59878 MOUND, +/-900' NORTH OF WOODBRIDGE DRIVE		MOUND	28 MILE
28-02	450920.938	13475389.78	835.24	ARROW ON HYDRANT ON THE EAST SIDE OF MOUND ROAD, +/- 120' SOUTH OF OAKRIDGE DRIVE AT HOUSE #6011 OAKRIDGE DR.	1999	MOUND	OAKRIDGE
29-01	455234.24	13471023.45	818.22	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE ON THE SOUTH SIDE OF 28 MILE ROAD, +/- 480 FEET EAST OF THE CENTER OF PARK ROAD.		28 MILE ROAD	PARK ROAD
29-02	455310.17	13472450.42	817.57	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE ON THE SOUTH SIDE OF 28 MILE ROAD, +/- 1380 FEET WEST OF APACHE LANE.		28 MILE ROAD	APACHE LANE
29-03	455366.51	13473790.40	824.01	SET MAG NAIL IN THE NORTH FACE OF A WOOD LIGHT POLE AT THE SOUTHWEST CORNER OF 28 MILE ROAD AND APACHE LANE.		28 MILE ROAD	APACHE LANE
29-04	454308.877	13475211.77	870.69	MAG NAIL IN EAST FACE OF WOOD LIGHT POLE AT THE SOUTHWEST COCRNER OF MOUND ROAD AND CHEROKEE DR.		MOUND	CHEROKEE
30-01	455058.20	13467187.97	838.82	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE AT THE SOUTHEAST CORNER OF 28 MILE ROAD AND MOUNT VERNON ROAD.		28 MILE ROAD	MOUNT VERNON ROAD
30-02	455108.94	13468244.90	842.31	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE ON THE SOUTH SIDE OF 28 MILE ROAD, AT HOUSE NUMBER 3256.		28 MILE ROAD	

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
30-03	455173.80	13469718.12	840.05	SET MAG NAIL IN THE NORTH FACE OF A UTILITY POLE ON THE SOUTH SIDE OF 28 MILE ROAD, AT HOUSE NUMBER 3950 .		28 MILE ROAD	
32-01	444850.397	13475542.8	748.65	MAG NAIL IN SOUTHEAST FACE OF U.POLE AT THE NORTHWEST CORNER OF MOUND AND 26 MILE ROAD, +/-35' NORTH OF NORTH EDGE OF PAVEMENT OF W.B. 26 MILE ROAD.		26 MILE	MOUND
33-01	449471.562	13475454.17	796.36	ARROW ON HYDRANT ON THE EAST SIDE OF MOUND ROAD, +/- 275' NORTH OF LAKEVIEW DRIVE AT HOUSE #58731 CORY LAKE DR., +/- 925' NORTH OD WEST RD.		MOUND	WEST RD
33-02	447688.425	13475519.43	783.43	MAG NAIL IN WEST FACE OF U.POLE AT THE NORTHEAST CORNER OF MOUND AND HICKORY LANE, +/-850' SOUTH OF WEST RD.		MOUND	WEST RD
33-03	446039.397	13475572.65	763.79	MAGNAIL IN THE TOP OF MOST SOUTHERLY GUARDRAIL POST ON THE EAST SIDE OF MOUND ROAD, +/-90' SOUTH OF THE CENTERLINE OF BROOKSIDE LANE, +/-1300' NORTH OF 26 MILE ROAD.		MOUND	26 MILE
33-04	445163.572	13480053.61	686.52	MAG NAIL IN SOUTH FACE U.POLE AT THE NORTHWEST CORNER OF 26 MILE ROAD AND CURTIS STREET, +/-1100' WEST OF VAN DYKE AVE.		26 MILE	VAN DYKE
33-05	445167.86	13479058.16	695.79	ARROW ON HYDRANT AT THE NORTHEAST CORNER OF 26 MILE ROAD AND COPPER CREEK DRIVE, +/-2000' WEST OF VAN DYKE AVE.	1986	26 MILE	VAN DYKE
33-06	445088.252	13477530.48	717.82	ARROW ON HYDRANT AT THE NORTHEAST CORNER OF 26 MILE ROAD AND COPPER CREEK DRIVE, +/-1100' EAST OF MACOMB ORCHARD TRAIL, BETWEEN MOUND AND VAN DYKE.		26 MILE	MOUND

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
34-01	449277.88	13486010.17	677.24	ARROW ON HYDRANT W. SIDE JEWELL AT LIBERTY WOODS DR. EXTENDED	1995	JEWELL	LIBERTY WOODS DR.
34-02	447910.53	13486063.01	678.56	ARROW ON HYDRANT @ SW CORNER JEWELL AND MAPLE CREEK CT.	1994	JEWELL	MAPLE CREEK CT.
34-03	446547.64	13486180.03	672.29	ARROW ON HYDRANT @ SW CORNER JEWELL AND BEACONSFIELD	1985	JEWELL	BEACONSFIELD
34-04	445513.46	13486255.87	666.19	ARROW ON HYDRANT W. SIDE JEWELL, +/- 40' N. OF N. R.O.W. 26 MILE	2000	JEWELL	26 MILE
34-05	445364.44	13484516.38	665.75	MAG SPIKE S. FACE U-POLE WITH GW TAG #79621, N. SIDE 26 MILE AND +/- 300' E. OF N.B. M-53 ENTRANCE RAMP		26 MILE	N.B. M-53
34-06	445294.25	13482490.94	670.89	MAG SPIKE N. FACE U-POLE WITH GW TAG #79622, N. SIDE 26 MILE AND +/- 400' W. OF S.B. M-53 EXIT RAMP AT W. PROPERTY LINE OF BUSINESS #8555 (CHASE BANK)		26 MILE	S.B. M-53
34-07	445219.88	13481217.97	680.86	ARROW ON HYDRANT N. SIDE 26 MILE, +/- 30' E. OF E. R.O.W. VAN DYKE	2011	26 MILE	VAN DYKE
34-08	446327.69	13481108.08	685.69	CUT CROSS IN N. RIM OF NORTHERLY GATE VALVE MANHOLE (SET OF THREE) @ SE CORNER VAN DYKE AND WASHINGTON WOODS DR.		VAN DYKE	WASHINGTON WOODS DR.
34-09	447548.20	13481037.75	696.43	ARROW ON HYDRANT E. SIDE VAN DYKE AT BUSINESS #57900 (WASHINGTON TOWNSHIP MUNICIPAL BUILDING)	1986	VAN DYKE	WASHBURN
34-10	448952.98	13480944.53	702.94	MAG SPIKE W. FACE OF U-POLE WITH GW TAG #79623 @ NE CORNER VAN DYKE AND PILGRIM		VAN DYKE	PILGRIM
34-FS1	450510.29	13484810.27	680.50	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX S. SIDE OF 27 MILE, 1200' W. OF JEWEL RD., AT WASHINGTON TOWNSHIP FIRESTATION NO.1, ADDRESS 11300 27 MILE RD.		27 MILE	TIMBER MILL
35-01	445660.44	13490400.55	670.55	ARROW ON HYDRANT ON THE NORTH SIDE OF 26 MILE ROAD AND +/-65' WEST OF THE CENTERLINE OF STONBRIAR DRIVE	1999	26 MILE	STONEBRIAR
35-03	449353.25	13491396.46	672.75	MAG SPIKE NAIL SET HORIZONTALLY INTO EAST FACE OF TWIN 18"/18" OAK WITH GW TAG #77965 ON THE WEST SIDE OF SCHOENHERR ROAD +/-1600' SOUTH OF 27 MILE ROAD		SCHOENHERR	27 MILE

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020

Washington Township Vertical Control Network

BENCH MARK	NORTHING	EASTING	NAVD88 ELEVATION	LOCATION	HYDRANT YEAR	X STREET 1	X STREET 2
35-04	450768.86	13488609.40	680.18	MAG SPIKE NAIL SET HORIZONTALLY IN NORTH FACE OF UTILITY POLE ON THE SOUTH SIDE OF 27 MILE ROAD AT 1/2 MILE WEST OF SCHOENHERR ROAD AT THE EAST LINE OF ITC PROPERTY, WITH GW TAG #77981		27 MILE RD	
35-STONEBRIAR	447893.78	13491450.67	668.92	CONCRETE MONUMENT WITH 1/2" REBAR IN A MONUMENT BOX W. SIDE SCHOENNER, OPPOSITE ADDRESS #7820, 8' EAST OF EAST EDGE OF ASPHALT PATH AND 29' NORTH OF HYDRANT		SCHOENHERR	
36-02	445839.51	13493874.37	650.72	ARROW ON HYDRANT ON THE NORTH SIDE OF 26 MILE ROAD AND +/-200' WEST OF THE CENTERLINE OF WILLOW RIDGE BOULEVARD	1999	26 MILE	WILLOW RIDGE
36-03	446968.15	13491563.23	666.99	MAG SPIKE NAIL SET HORIZONTALLY INTO WEST FACE OF UTILITY POLE WITH GW TAG #77964 ON THE EAST SIDE OF SCHOENHERR ROAD ON THE NORTH SIDE OF DRIVEWAY TO HOUSE #57460		SCHOENHERR	SCENIC HOLLOW DRIVE
36-04	451539.25	13496486.19	649.26	MAG SPIKE NAIL SET HORIZONTALLY INTO NORTH FACE OF UTILITY POLE WITH GW TAG #77976 ON THE SOUTH SIDE OF 27 MILE ROAD +/-80' WEST OF THE CENTERLINE OF HAYES ROAD		HAYES	27 MILE

Vertical Datum: NAVD88

Horiz. Datum: SPCS; Michigan South NAD83

REVISED: 03/20/2020